

## Receiving Report

Date: 14-10-8 Batch No: 130561  
 Supplier: ThyssenKrupp Dart P/O: 25832

Packing Slip: Yes ☒ No ☐ Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Invoice: Yes ☒ No ☐ Waybill Attached: Yes ☒ No ☐ N/A ☐  
 Receipt: Cash ☐ Cr ☒ Shipment Complete: Yes ☒ No ☐ N/A ☐  
 New Supplier Yes ☐ No ☒ QC18 Inspection DAS ☒ N/A ☐  
 Work Order 16 ☒ N/A ☐  
9-89 14/10/08

### Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number
<u>M707516</u>	<u>B7.000 x 2.000</u>	<u>23</u>	<u>0</u>				
	<u>7075-16 BA</u>						
	<u>7.000 x 2.000</u>						

Initials of Receiver QC12 SP

Production/Admin: 14-10-8  
 Date SP  
 Received/Costing SP  
 Initial SP

Location \_\_\_\_\_

## Page 1 of 1

All amounts are calculated in domestic currency.

8/2014

## All Currencies

Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MIRB Qty/ MIRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO25832	4		M303B0.750X1.500 f	f	9/26/2014 10/8/2014		12.0000	\$17.49	0.0000	0	\$209.83
CAD	No		303 BAR .750" X 1.500" m130561	f	12.0000 DES102			\$209.83	0.0000	0	
	5		M303B1.000X03.000 f	f	9/26/2014 10/8/2014		12.0000	\$42.78	0.0000	0	\$513.42
	No		303 BAR 1" X 3" m130561	f	12.0000 DES102			\$513.42	0.0000	0	
Total Received Quantity:											24.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$723.25
Total Balance Due Quantity:											0.0000



## B I L L O F L A D I N G

No: PEC 899679

Ship From:  
 THYSSENKRUPP MATERIALS NA  
 2821 LANGSTAFF ROAD  
 CONCORD, ONTARIO L4K 5C6  
 Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 06Oct14 at 12:48 From PFW  
 Probill

Via VIM TRANSFER  
 FOB CONCORD  
 Frt PREPAID  
 Route 0- 0 Manifest  
 Vhcle Trailer  
 Slp STAN IVERS (905-532-1350)  
 Sold To: ( 20115)  
 DART AEROSPACE  
 1270 ABERDEEN ST  
 HAWKESBURY, ON K6A 1K7

Ship To: ( 1)  
 DART AEROSPACE  
 1270 ABERDEEN ST  
 HAWKESBURY, ON K6A 1K7  
 Tel: 613-632-9577 Fax: 613-632-1053

## B I L L O F L A D I N G

1) Our Order PEC-723911- 1 Your PO # 25832  
 Part # ASTM A 484/ AMS 5640 Rel #

STAINLESS STEEL FLAT BAR 303CD  
 .750" X 1.50" X 144.0000"

Heat Number Tag No  
 E229214 339878

Quantity PCS Wt LBS  
 12 FT 1 48

MTR

2) Our Order PEC-723911- 2 Your PO # 25832  
 Part # ASTM A 484/ AMS 5640 Rel #

STAINLESS STEEL FLAT BAR 303CD  
 1.00" X 3.00" X 144.0000"

Heat Number Tag No  
 677188 339879

Quantity PCS Wt LBS  
 12 FT 1 131

MTR

TOTAL: Tags PCS LBS  
 2 2 179

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT  
 WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR  
 TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*  
 \*\* REFERENCED ON IT \*\*

TOTAL 1 TUBE, 1 BAR GW. 185 LBS

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA  
 CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*

Page: 1 ....Continued

ALUMINIUM - L'ATON - CUIVRE - PLASTIQUE - ACIER INOX  
 ALUMINUM - BRASS - COPPER - PLASTIC - STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

JESSE MACLEOD

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

14 / 10 / 8

DATE

SP 14-10-8

1 Tube R 506  
 1 BAR R 508



# B I L L O F L A D I N G

Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 899679  
Ship Date 06Oct14 at 12:48 From PFW  
Probill  
Via VIM TRANSFER  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp STAN IVERS (905-532-1350)  
Sold To: ( 20115)  
DART AEROSPACE

Ship To: ( 1)  
DART AEROSPACE

# B I L L O F L A D I N G

\*\*\*\*\* TEL. 800-926-2600 \*\*\*\*\*  
\*\*\*\*\*  
\* WE STOCK STAINLESS STEEL \*  
\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*  
\*\*\*\*\*  
\*\*\*PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE  
ADDED TO EVERY ORDER.\*\*\*

Page: 2 .... Last

ALUMINIUM - LAITON - CUIVRE - PLASTIQUE - ACIER INOX  
ALUMINUM - BRASS - COPPER - PLASTICS - STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT.  
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY  
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

Customer: COPDET PO#:5400228505 SO#:LBTC65

MTR#:STXB1320948.G

Item:FB03CD00480132 Bundle:ST950001 Heat#:E229214

950001/00114379

**MONTANSTAHL**  
special profiles in steelTel.: +41 (91) 6416-800  
Fax.: +41 (91) 6416-804  
email: info@montanstahl.com

## mill test certificate

114379

MONTANSTAHL AG, Via Garretto 4, CH-6055 Stabio

Company  
STAINLESS STRUCTURALS LLC  
590 Beautyrest Avenue  
USA 32254 JACKSONVILLEproduct  
Flat - ACD 0.75 x 1.5 inch 13'-14'

mill test certificate according to

Customer specs

order n°

1857  
(38762, 38402)size standards  
PT 111net weight  
895 lbsgrade  
303condition  
ACDgrade standards  
ASTM A582/A582M-AMS 5640 type 1milling  
EAF/AODbundles  
950001

trial	C	Si	Mn	P	S	Ni	Cr	Mo	Ti	Al	N	Cu	Pb	V	Co		
E229214	0.056	0.81	1.80	0.027	0.270	8.62	17.72	0.25			0.017	0.59			0.10		
tensile strength	yield strength				elongation		area reduction		hardness		impact test						
Rm	Rp 0.2%				Rp 1%		A5		Z		HB		KV				
96 ksi	58 ksi				47 %		59 %		108								

- We hereby confirm that the material certified in this document is conform to enclosed data sheet

- Material is produced in compliance with ROHS (2002/95/EC)  
- Material free from Mercury and radioactive contamination- Country of melt: Germany  
- Country of manufacturing origin: Switzerland

Trade Mark



date

24.11.2011

Tnp works' inspector

Stelano Broggi

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403403752

CstAr

CstOr 261585

Wgt.: 48 LB

Date 09/22/2014



## MILL TEST REPORT

TA CHEN INTERNATIONAL, INC.

This MTR contains 1 page (Page# 1)

Customer: COPDET PO#:5400230128 SO#:LCAA81

MTR#:SUMMIT\_3B01197

Item:FB03CD01000300 Bundle:3B01197 Heat#:677188

<b>BÖLLINGHAUS STEEL</b>		Abnahmeprüfung/Mill Test Certificate/Certif. de Qualidade		No.: / Nr.: / Nr.:																															
		EN 10204:2004 / 3.1		0000083507																															
Unsere innere Verweisung / Our int. Ref / N° ref int		Datum / Date / Data																																	
Böllinghaus Portugal Aços Especiais, SA DIN EN ISO 9001:2008 TUV CERT No. 01 100 030458		5800016650 000130		20.09.2012																															
Normen / Standards / Normas																																			
TYPE 303AUNS S-30300 acc. to ASTM A582/582 M-05, AISI 3040U Type 1, SAE AMS QQ-S-7638, ASTM A484/A484M-11																																			
Kunde / Customer / Cliente			Endgültiger Kunde / Final Customer / Cliente Final																																
Summit Stainless Steel, LLC 2001 Elizabeth Street 08902 North Brunswick, NJ			Summit Stainless Steel, LLC 9383 Geary Avenue Santa Fe Springs 90670 Santa Fe Springs																																
Bestell Nr./Order Nr./Enc.Nr. BO32086			Bestell Nr./Order Nr./Enc.Nr. BO32086.12																																
Prüfgegenstand / Product / Produto		Gewicht / Weight / Peso		Stücke / Bundle / Alados																															
AISI 303 FLAT 3 x 1"		2,094 lb		02																															
Werkstoff-Nr. Material-no. Qualidade 1.4305		Werkstoff-Normbezeichnung / Material standard grade / Norma do material X 8 CrNiS 18-9																																	
Beschreibung / Description / Descrição																																			
Stainless steel cold drawn flat bars. US DPAR 252,225-7014; MELT SOURCE: France / MFG: Portugal.																																			
Chemische Analyse in % / Chemical composition in % / Análise química em %																																			
<table border="1"> <tr> <td>C:</td> <td>0.048</td> <td>Si:</td> <td>0.437</td> <td>Mn:</td> <td>1.722</td> <td>P:</td> <td>0.029</td> <td>S:</td> <td>0.271</td> <td>Cr:</td> <td>17.144</td> <td>Ni:</td> <td>8.292</td> </tr> <tr> <td>Mo:</td> <td>0.318</td> <td>Co:</td> <td>0.133</td> <td>Cu:</td> <td>0.845</td> <td>N:</td> <td>0.024</td> <td>Ti:</td> <td>0.002</td> <td>W:</td> <td>-</td> <td>V:</td> <td>-</td> </tr> </table>						C:	0.048	Si:	0.437	Mn:	1.722	P:	0.029	S:	0.271	Cr:	17.144	Ni:	8.292	Mo:	0.318	Co:	0.133	Cu:	0.845	N:	0.024	Ti:	0.002	W:	-	V:	-		
C:	0.048	Si:	0.437	Mn:	1.722	P:	0.029	S:	0.271	Cr:	17.144	Ni:	8.292																						
Mo:	0.318	Co:	0.133	Cu:	0.845	N:	0.024	Ti:	0.002	W:	-	V:	-																						
<table border="1"> <tr> <td colspan="2">ASTM E399</td> <td colspan="2">ASTM A370</td> <td colspan="2">ASTM A370</td> </tr> <tr> <td>Kerbschlagarbeit Impact Test Resistência</td> <td>Streckgrenze Yield point Tensão de escoamento</td> <td>Dehngrenze 1% proof Limite de escoamento</td> <td>Zugfestigkeit Tensile strength Tensão de ruptura</td> <td>Dehnung Elongation Alongamento</td> <td>Kerbschlagarbeit Impact Test Resistência</td> </tr> <tr> <td>[Charpy V]</td> <td>Re 0.2 %</td> <td>Re 1.0 %</td> <td>Rm</td> <td>A (ASO-50mm)</td> <td>Z (ASO-50mm)</td> </tr> <tr> <td>[J]</td> <td>[KJ]</td> <td>[KJ]</td> <td>[KJ]</td> <td>[%]</td> <td>[%]</td> </tr> <tr> <td>3028705.01.01</td> <td>79.0</td> <td>92.0</td> <td>107.5</td> <td>48.2</td> <td>55.9</td> </tr> </table>						ASTM E399		ASTM A370		ASTM A370		Kerbschlagarbeit Impact Test Resistência	Streckgrenze Yield point Tensão de escoamento	Dehngrenze 1% proof Limite de escoamento	Zugfestigkeit Tensile strength Tensão de ruptura	Dehnung Elongation Alongamento	Kerbschlagarbeit Impact Test Resistência	[Charpy V]	Re 0.2 %	Re 1.0 %	Rm	A (ASO-50mm)	Z (ASO-50mm)	[J]	[KJ]	[KJ]	[KJ]	[%]	[%]	3028705.01.01	79.0	92.0	107.5	48.2	55.9
ASTM E399		ASTM A370		ASTM A370																															
Kerbschlagarbeit Impact Test Resistência	Streckgrenze Yield point Tensão de escoamento	Dehngrenze 1% proof Limite de escoamento	Zugfestigkeit Tensile strength Tensão de ruptura	Dehnung Elongation Alongamento	Kerbschlagarbeit Impact Test Resistência																														
[Charpy V]	Re 0.2 %	Re 1.0 %	Rm	A (ASO-50mm)	Z (ASO-50mm)																														
[J]	[KJ]	[KJ]	[KJ]	[%]	[%]																														
3028705.01.01	79.0	92.0	107.5	48.2	55.9																														
Visuelle Kontrolle Visual inspection Inspeção visual		ASTM E370 Kernhärte Hardness Dureza		Kernhärteprüfung HRT Test Certeza de dureza																															
ASTM A484 Maßkorrektur Dimensional inspection Inspeção dimensional		E 112-99e1 Korngröße Grain size Tamanho de grão		Werkstoffprüfung Quality Control Representative Inspector de Qualidade																															
Verschleißprüfung Test of wear Teste de identificação		ASTM A484 Material free from segregation defects.		Annealed Quenched 1500 °F																															
Bemerkungen / Remarks / Observações																																			
Micrographic test: approved. Material is free of radiation contamination. No weld repair done. Material is free of mercury.																																			
Hiermit bestätigen wir, dass das Material der oben genannten Spezifikation entspricht. We confirm that this material meets the specification according to the mentioned standards. Confirmamos que este material respeita as especificações de acordo com as normas referidas.																																			

From: ThyssenKrupp Materials NA


Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403426173

CstAr

CstOr 261585

Wgt.: 131 LB

Date 10/02/2014



## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303 B1.00 x 3.00"  
 DATE: Oct 8<sup>th</sup>, 2014

PO / BATCH NO.: M130561 / 1025832

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 121  
 QUANTITY INSPECTED: 121  
 QUANTITY REJECTED: —

THICKNESS ORDERED: 1.00 x 3.00  
 THICKNESS RECEIVED: 0.998" + 2.999"  
 SHEET SIZE ORDERED: —  
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<del>AISI 303</del> AISI 303
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	0.998"
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	ASTM A582
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	HEAT # 677188
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	M 303 B1.00 + 3.00"
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	M130561
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

*testers located in the Quality Office*

<b>QC 18 INSPECTION</b>	<b>ENGINEERING SIGNOFF (if required)</b>
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: _____
DATE: <u>9-89 14/10/08</u>	DATE: _____

**Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in**



## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303 B0.750 x 1.500"

PO / BATCH NO.: M 13056 / P025832

DATE: Oct 8<sup>th</sup>, 2014

MATERIAL CERT REC'D: 7.50"

THICKNESS ORDERED: 0.750" x 1.500"

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: 0.748" x 1.499"

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED:                     

QUANTITY REJECTED:                     

SHEET SIZE RECEIVED:                     

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<del>303</del> AISI 303
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	0.748"
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	Y N	ASTM A582
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	HEAT# F229214
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	M303 B0.750 x 1.500"
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	M 130561
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	n/h

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> DATE: <u>16</u> <u>10/10/14</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO25832

Purchase Order Date 9/18/2014

PO Print Date 9/22/2014

Page Number 1 of 4

Order From :

VC-COP001

Ship To : DART AEROSPACE LTD

THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

*REVISED met.*

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M7075T6B7.000X2.000	7075-T6 BAR 7.000" X 2.000" (order in billets)	9/26/2014 10/31 Yes 9/26/2014		23.00 f	\$77.30	\$1,778.00
MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE							

NOTE: PLEASE CUT TO SIZE: 20 PCS CUT 13.375" GRAIN DIRECTION ALONG LEGHT

Line Total:

\$1,778.00

2 M174R0.750

17-4 round bar .750

9/26/2014

Yes

9/26/2014

24.00  
f

\$7.50

\$180.00

MATERIAL: 17-4 PH / S17400 TYPE 630 SS ROUND BAR  
PER AMS 5643 OR ASTM A564  
GRAIN MUST BE ALONG LENGTH OF BAR  
MINIMUM YIELD TENSILE STRENGTH = 100 KSI  
MINIMUM ULTIMATE TENSILE STRENGTH = 150 KSI

Note:

9/22/2014



1270 ABERDEEN STREET  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

Purchase Order ID PO25832

Purchase Order Date 9/18/2014

PO Print Date 9/22/2014

Page Number 2 of 4

Order From : VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"  
TORONTO, ON M5W 5V8  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Total: \$180.00

3 M2024T3S.063 2024-T3 .063 sheet 9/26/2014 192.00  
Yes  
9/26/2014 sf

MATERIAL: 2024-T3 ALUMINUM SHEET  
AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037  
OR ASTM B209

Line Total: \$770.00

4 M303B0.750X1.500 303 BAR .750" X 1.500" 9/26/2014 12.00  
Yes  
9/26/2014 f

MATERIAL: AISI 303 SS BAR AS PER ASTM A582  
NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$235.00

5 M303B1.000X03.000 303 BAR 1" X 3' 9/26/2014 12.00  
No  
9/26/2014 f

MATERIAL: AISI 303 SS BAR AS PER ASTM A582  
NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$47.92

Note:

9/22/2014





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO25832

Purchase Order Date 9/18/2014

PO Print Date 9/22/2014

Page Number 3 of 4

Order From : VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Total: \$575.00

6 M303R0.500

303 Round Bar 0.500"

9/26/2014

48.00

\$1.65

\$79.20

Yes

9/26/2014

MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$79.20

7 M303R0.750

303 Round Bar 0.750

9/26/2014

48.00

\$3.19

\$153.12

Yes

9/26/2014

MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$153.12

Note:

9/22/2014



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO25832

Purchase Order Date 9/18/2014

PO Print Date 9/22/2014

Page Number 4 of 4

Order From :

VC-COP001

Ship To : DART AEROSPACE LTD

THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"  
TORONTO, ON M5W 5V8  
CA

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

8	M304B1.000X1.000	304 bar 1.00 x 1.00	9/26/2014	12.00		\$12.65	\$151.80
			Yes				
			9/26/2014				

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE  
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$151.80

10	71401-45	PROCUREMENT QUALITY CLAUSES	9/26/2014	1.00		\$0.00	\$0.00
----	----------	--------------------------------	-----------	------	--	--------	--------

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

No

9/26/2014

Line Total: \$0.00

PO Total: \$3,922.12

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 2

Change Date: 9/22/2014